



CIRCUIT BREAKER TERMINAL LUG DATA			
CIRCUIT BREAKER CAT NO. PREFIX	AMPERE RATING	LUG TYPE	WIRE SIZE (AWG/KCMIL)
SGH, SGL, SGP	125-600A	TCLK365	(2) #2/0-500 CU-AL (1) #8-600 CU-AL
		TCOK365	(2) #2/0-500 CU (1) #8-600 CU

FIELD INSTALLABLE NEUTRAL ASSEMBLY AND GROUND KIT			
CAT NO. PREFIX	TYPE	AMPERE RATING	WIRE SIZE (AWG/KCMIL)
TGL6	GND KIT	600-1200A	(3) #2-250 CU-AL
TNIA 400	NEUTRAL ASM	125-400A	(1) #4-600 CU-AL (2) #1/0-250 CU-AL
TNIA 600	NEUTRAL ASM	225-600A	(2) #2/0-500 CU-AL

SYMBOLS	KNOCKOUTS			
	CONDUIT SIZE		DIAMETER	
	IN	MM	IN	MM
A	3 1/2	89	4 1/8	105
B	3	76	3 5/8	91
C	2 1/2	64	3	76
D	2	51	2 1/2	64
E	3/4	19	1 1/8	29
F	9/32	7	9/32	7

- NOTES:
1. MATERIAL: LOW CARBON STEEL
  2. FINISH: ELECTROCOAT ENAMEL, GRAY
  3. AGENCY APPROVAL: UL LISTED -FILE E11592,CSA
  4. SUITABLE FOR USE AS SERVICE EQUIPMENT WHEN NEUTRAL ASSEMBLY IS INSTALLED
  5. THE SHORT CIRCUIT RATING OF THIS ENCLOSED CIRCUIT BREAKER IS EQUAL TO THE INTERRUPTING RATING, AT THE SUPPLY VOLTAGE MARKED ON THE CIRCUIT BREAKER INSTALLED
  6. CONSULT BUYLOG FOR ALTERNATIVE LUGS

DUAL DIMENSIONS, INCHES (MILLIMETERS)

FOR USE WITH SPECTRA G CIRCUIT BREAKERS



imagination at work

OUTLINE DRAWING - NEMA TYPE 1 ENCLOSURE  
SG600F, SG600S

DWG NO.	DATE	REV
208C2891SH2	06/22/2009	04