



DUAL DIMENSIONS INCHES (ESTIMATING ONLY)
[MILLIMETERS]



① 30,60,75 & 100 AMP
WEIGHT : 9 lbs (APPROXIMATE)



② 150 & 200 AMP
WEIGHT : 10 lbs (APPROXIMATE)


NOTE : FOR 2 POLE SWITCHES
OMIT CENTER POLE

AN #	THIRD ANGLE PROJECTION	SHEET #
10-9116		1 OF 3

imagination at work		
OUTLINE CR160MC LIGHTING CONTACTOR		
DWG NO.	DATE	REV
55-172305	07/27/2009	7

DUAL DIMENSIONS INCHES (ESTIMATING ONLY)
[MILLIMETERS]

FOR REFERENCE ONLY





AUGUST 2010


NOTE : FOR 2 POLE SWITCHES
OMIT CENTER POLE

3 30 THRU 200AMP
COM. MOUNT FORMS

VOID ON
AN 10-9116

			 imagination at work		
			OUTLINE CR160MC LIGHTING CONTACTOR		
AN #	THIRD ANGLE PROJECTION	SHEET #	DWG NO.	DATE	REV
10-9116		2 OF 3	55-172305	07/28/2009	3

DUAL DIMENSIONS INCHES (ESTIMATING ONLY)
[MILLIMETERS]



NOTE : FOR 2 POLE SWITCHES
OMIT CENTER POLE

4 225 AMP
WEIGHT : 10 lbs (APPROXIMATE)

AN #	THIRD ANGLE PROJECTION	SHEET #
10-9116		3 OF 3

imagination at work		
OUTLINE CR160MC LIGHTING CONTACTOR		
DWG NO.	DATE	REV
55-172305	07/28/2009	2